Product Specifications



F4PNMV2-HC

Type N Male for 1/2 in FSJ4-50B cable



CHARACTERISTICS

General Specifications

InterfaceN MaleBody StyleStraightBrandHELIAX®Mounting AngleStraight

Electrical Specifications

Connector Impedance 50 ohm

Operating Frequency Band 0 – 12000 MHz

Cable Impedance 50 ohm

3rd Order IMD -120 dBm @ 910 MHz 3rd Order IMD Test Method Two +43 dBm carriers

RF Operating Voltage, maximum (vrms) 707.00 V
dc Test Voltage 2000 V
Outer Contact Resistance, maximum 0.30 mOhm
Inner Contact Resistance, maximum 2.00 mOhm
Insulation Resistance, minimum 5000 MOhm


Average Power 0.6 kW @ 900 MHz

Peak Power, maximum 10.00 kW Insertion Loss, typical 0.05 dB Shielding Effectiveness -110 dB

Product Specifications



Outline Drawing



Mechanical Specifications

Outer Contact Attachment Method Crush-flare Inner Contact Attachment Method Captivated Trimetal Outer Contact Plating Inner Contact Plating Gold Attachment Durability 25 cycles Interface Durability 500 cycles

Interface Durability Method IEC 61169-16:9.5 Connector Retention Tensile Force 890 N | 200 lbf Connector Retention Torque 5.42 N-m | 48.00 in lb Insertion Force 66.72 N | 15.00 lbf Insertion Force Method MIL-C-39012C-3.12, 4.6.9

Pressurizable

Coupling Nut Proof Torque 4.52 N-m | 40.00 in lb Coupling Nut Retention Force 444.82 N | 100.00 lbf Coupling Nut Retention Force Method MIL-C-39012C-3.25, 4.6.22

Dimensions

Nominal Size 1/2 in

Diameter 24.00 mm | 0.95 in 54.00 mm | 2.13 in Length Weight 90.72 g | 0.20 lb

Environmental Specifications



Product Specifications



F4PNMV2-HC

Operating Temperature -55 °C to +85 °C (-67 °F to +185 °F) Storage Temperature -55 °C to +85 °C (-67 °F to +185 °F)

Immersion Depth1 mImmersion Test MatingMated

Immersion Test Method IEC 60529:2001, IP68

Water Jetting Test Mating Mated

Water Jetting Test Method IEC 60529:2001, IP66

Moisture Resistance Test Method MIL-STD-202F, Method 106F

Mechanical Shock Test Method MIL-STD-202F, Method 213B, Test Condition C

Thermal Shock Test Method MIL-STD-202F, Method 107G, Test Condition A-1, Low Temperature -55 °C

Vibration Test Method MIL-STD-202F, Method 204D, Test Condition B

Corrosion Test Method MIL-STD-1344A, Method 1001.1, Test Condition A

Standard Conditions

Attenuation, Ambient Temperature 20 °C | 68 °F Average Power, Ambient Temperature 40 °C | 104 °F

Return Loss

Frequency Band	VSWR	Return Loss (dB)
0-1000 MHz	1.03	36.00
1010-2000 MHz	1.04	35.00
2010-3000 MHz	1.08	28.00

Regulatory Compliance/Certifications

Agency

RoHS 2002/95/EC China RoHS SJ/T 11364-2006

Classification

Compliant by Exemption

Above Maximum Concentration Value (MCV)





* Footnotes

Immersion Depth Immersion at specified depth for 24 hours

Insertion Loss, typical $0.05\sqrt{\text{freq (GHz)}}$ (not applicable for elliptical waveguide)